



Prism

3S

KEENS[®]
BELFAST



Prism

SCH (Default Leg)

KEENS[®]
BELFAST



Prism

SCH (Optional Leg)

KEENS[®]
BELFAST






Prism

DIMENSION

Updated : 12 / 4 / 2012

Configuration	Width		Depth		Seat Depth		Back Height		Seat Height		Weight		Volume	
	cm	inch	cm	inch	cm	inch	cm	inch	cm	inch	kg	lb	m3	ft ³
3S	217	85	103	41	60	24	94	37	46	18	63	139	2.10	74.20
2.5S	197	78	103	41	60	24	94	37	46	18	57	126	1.91	67.36
2S	177	70	103	41	60	24	94	37	46	18	51	114	1.71	60.52
SCH	87	34	85	33	54	21	101	40	46	18	26	58	0.75	26.38
FST	50	20	50	20	-	-	-	-	43	17	7	16	0.11	3.80

CONSTRUCTION

-  **SEAT** : No-sag Spring
-  **BACK REST** : Rubber Webbing
-  **SEAT CUSHION** : D/38S + D/22 (SCH, FST : D/38S)
-  **BACK REST CUSHION** : Loose Fibre (SCH : D/22)
-  **SOFA LEGS** (front & rear) :

DEFAULT

code :MLG-146-05L / MLG-975-19L /

MLG-1004-19L / **MLG-180-11L**

material : Metal

height :180mm (MLG-146-05L)

:200mm (MLG-975-19L,Diameter740mmFourProng Base w/ Rubber Glider)

:270mm (MLG-1004-19L,Diameter620mmFourProng Base w/ Rubber Glider)

:100 - 120mm (MLG-180-11L)

colour :05 = Polished & Lacquer / 11 = Chrome /

19 = Brushed Stainless Steel

OPTIONAL (SCH & FST)

MLG-976-11L (ht.200mm,diameter700mmFiveProngBasew/ Rubber Glider) /

MLG-977-11L (ht.200mm,diameter480mmFiveProngBasew/ Rubber Glider)

Metal, 11 = Chrome



* Support Leg